


# Restore In Style

# Architectural Fittings



# Switches & Sockets



**Email: [info@restoreinstyle.com](mailto:info@restoreinstyle.com)**

[www.restoreinstyle.com](http://www.restoreinstyle.com)

**07 46301232**

**+61 7 46301232**

# Key Operated Door & Window Fittings

ALL ITEMS ON PAGES 2 & 3 CAN BE KEYED ALIKE

## FLUSH BOLTS – SOLID BRASS 200 x 28mm

Bolt: W 22mm, Thickness 5mm, Throw 27mm



1330 PB  
200 x 28mm

2247 AB  
200 x 28mm

1331 AC  
200 x 28mm

1334 MB  
200 x 28mm

1332 CP  
200 x 28mm

1333 SC  
200 x 28mm

8760 SSL  
200 x 28mm

## SURFACE MOUNTED BOLTS – ZINC ALLOY 150 x 32mm

Projection 35mm. Bolt: Diameter 10mm, Throw 24mm



1335 PVD  
150 x 32mm

2248 AB  
150 x 32mm

1336 AC  
150 x 32mm

1339 MB  
150 x 32mm

1337 CP  
150 x 32mm

1338 SC  
150 x 32mm

8762 SSL  
150 x 32mm

ALL ITEMS ON PAGES 2 & 3 CAN BE KEYED ALIKE

LOCKING TELESCOPIC CASEMENT STAYS – GRADE 304 STAINLESS STEEL



1674 PVD  
L200-295mm



2280 AB  
L200-295mm



1675 AC  
L200-295mm



1676 PSS  
L200-295mm




1677 SC  
L200-295mm



8711 SS  
L200-295mm

LOCKING CASEMENT FASTENERS – ZINC ALLOY

Left Hand



1770 PVD  
Dr110mm W28mm P34mm



2318 AB  
Dr110mm W28mm P34mm



1774 AC  
Dr110mm W28mm P34mm



1776 CP  
Dr110mm W28mm P34mm



1778 SC  
Dr110mm W28mm P34mm



8715 SSL  
Dr110mm W28mm P34mm

Right Hand



1771 PVD  
Dr110mm W28mm P34mm



2319 AB  
Dr110mm W28mm P34mm



1775 AC  
Dr110mm W28mm P34mm



1777 CP  
Dr110mm W28mm P34mm




1779 SC  
Dr110mm W28mm P34mm



8716 SSL  
Dr110mm W28mm P34mm

LOCKING SASH FASTENERS – ZINC ALLOY



1606 PVD  
64mm x 20/14mm



2307 AB  
64mm x 20/14mm



1607 AC  
64mm x 20/14mm



1608 CP  
64mm x 20/14mm



1609 SC  
64mm x 20/14mm



8700 SSL  
64mm x 20/14mm

# Casement Window Stays

## SIDEMOUNT



1705 PB  
300mm



2314 AB  
300mm



1715 AC  
300mm



1905 MB  
300mm



1725 CP  
300mm



1726 SC  
300mm

## BASE FIX



1706 PB  
300mm



1830 MB  
300mm  
Malleable iron

## BASE FIX



1708 PB  
300mm



2315 AB  
300mm



1718 AC  
300mm



1909 MB  
300mm



1728 CP  
300mm



1729 SC  
300mm

## BASE FIX LOCKING PINS



1766 PB      2282 AB      1767 AC



1902 MB      1768 CP      1769 SC

## BASE FIX



1709 PB  
200mm



2295 AB  
200mm



1716 AC  
200mm



1919 MB  
200mm



1717 CP  
200mm



1719 SC  
200mm

## SLIDING STAY - BASE FIX



1701 PB  
250mm



TELESCOPIC STAYS



1700 PB  
200-295mm



2312 AB  
200-295mm



1710 AC  
200-295mm



1824 MB  
200-295mm



1720 CP  
200-295mm



1721 SC  
200-295mm

SCREW DOWN



1702 PB  
200-295mm



2313 AB  
200-295mm




1712 AC  
200-295mm



1722 CP  
200-295mm



1723 SC  
200-295mm



8711 SS  
*Locking stays refer to page 3*

SCREW DOWN - GRADE 304 STAINLESS STEEL



1760 PVD  
200-295mm



2316 AB  
200-295mm



1761 AC  
200-295mm



1762 PSS  
200-295mm



1763 SC  
200-295mm



8710 SS  
200-295mm

QUADRANT STAYS



1704 PB  
150mm



2294 AB  
150mm



1714 AC  
150mm



1724 CP  
150mm



1727 SC  
150mm

Casement Fasteners

TEARDROP



W

Dr

1730 PB  
Dr95mm W25mm P30mm



2310 AB  
Dr95mm W25mm P30mm



1740 AC  
Dr95mm W25mm P30mm



1836 MB  
Dr95mm W25mm P30mm



1750 CP  
Dr95mm W25mm P30mm



1753 SC  
Dr95mm W25mm P30mm

ADAPTOR  
PLATE  
6mm thick



1736 PB  
2309 AB  
1746 AC  
1854 MB  
1755 CP  
1756 SC

TEARDROP LONG THROW



W

Dr

1731 PB  
Dr95mm W35mm P30mm



2311 AB  
Dr95mm W35mm P30mm



1741 AC  
Dr95mm W35mm P30mm



1839 MB  
Dr95mm W35mm P30mm



1751 CP  
Dr95mm W35mm P30mm



1752 SC  
Dr95mm W35mm P30mm

ADAPTOR  
PLATE  
6mm thick



1736 PB  
2309 AB  
1746 AC  
1854 MB  
1755 CP  
1756 SC

SQUARE



W

Dr

1690 PB  
Dr95mm W35mm P30mm



2296 AB  
Dr95mm W35mm P30mm



1691 AC  
Dr95mm W35mm P30mm



1823 MB  
Dr95mm W35mm P30mm



1692 CP  
Dr95mm W35mm P30mm



1693 SC  
Dr95mm W35mm P30mm

ADAPTOR  
PLATE  
6mm thick



1694 PB  
2297 AB  
1695 AC  
1825 MB  
1696 CP  
1697 SC

DISHED



W

Dr

1733 PB  
Dr105mm W30mm P30mm



2278 AB  
Dr105mm W30mm P30mm



1743 AC  
Dr105mm W30mm P30mm




1742 CP  
Dr105mm W30mm P30mm



1744 SC  
Dr105mm W30mm P30mm


REEDED



W

Dr

1735 PB  
Dr112mm W30mm P30mm



1745 AC  
Dr112mm W30mm P30mm

DECO



W

Dr

1738 PB  
Dr85mm W30mm P25mm



1748 AC  
Dr85mm W30mm P25mm



1754 CP  
Dr85mm W30mm P25mm



W

Dr

1732 PB  
Dr88mm W24mm P30mm

IRON



W

Dr

1835 MB  
Dr97mm W30mm P35mm

KEY OPERATED FASTENERS

Refer to page 3



1776 CP  
Dr110mm W28mm P34mm



1779 SC  
Dr110mm W28mm P34mm

CASEMENT FASTENERS – BLACK TIMBER

Left Hand



1764 PB  
Dr95mm W30mm P46mm



2276 AB  
Dr95mm W30mm P46mm



1772 AC  
Dr95mm W30mm P46mm



1788 CP  
Dr95mm W30mm P46mm



1798 SC  
Dr95mm W30mm P46mm

Right Hand



1765 PB  
Dr95mm W30mm P46mm



2277 AB  
Dr95mm W30mm P46mm



1773 AC  
Dr95mm W30mm P46mm



1789 CP  
Dr95mm W30mm P46mm



1799 SC  
Dr95mm W30mm P46mm

HOPPER WINDOW FASTENERS



1685 PB  
L74mm W39mm P31mm



2298 AB  
L74mm W39mm P31mm



1686 AC  
L74mm W39mm P31mm



1687 CP  
L74mm W39mm P31mm



1688 SC  
L74mm W39mm P31mm

SPUR CATCHES



1737 PB  
W47mm P46mm



2304 AB  
W47mm P46mm



1747 AC  
W47mm P46mm



1757 CP  
W47mm P46mm



1758 SC  
W47mm P46mm

WEDGE FASTENERS



1678 PB  
L90mm W20mm P30mm



2275 AB  
L90mm W20mm P30mm



1679 AC  
L90mm W20mm P30mm



1698 CP  
L90mm W20mm P30mm



1699 SC  
L90mm W20mm P30mm



# Sash Window Fittings

## SASH FASTENERS – KEY OPERATED

Zinc alloy construction. Phillips head and security screws supplied.



## SASH FASTENERS – SOLID BRASS





## SASH LIFTS - SOLID BRASS



1631 PB  
W49mm H40mm P29mm



2302 AB  
W49mm H40mm P29mm



1641 AC  
W49mm H40mm P29mm



1651 CP  
W49mm H40mm P29mm



1653 SC  
W49mm H40mm P29mm



1629 PB  
W42mm H34mm P25mm



2291 AB  
W42mm H34mm P25mm



1648 AC  
W42mm H34mm P25mm



1649 CP  
W42mm H34mm P25mm



1650 SC  
W42mm H34mm P25mm



1637 PB  
W45mm H38mm P30mm



2303 AB  
W45mm H38mm P30mm



1647 AC  
W45mm H38mm P30mm



1657 CP  
W45mm H38mm P30mm



1658 SC  
W45mm H38mm P30mm



1670 PB  
W63mm H26mm P19mm



2317 AB  
W63mm H26mm P19mm



1671 AC  
W63mm H26mm P19mm



1672 CP  
W63mm H26mm P19mm



1673 SC  
W63mm H26mm P19mm



1632 PB  
W48mm H41mm P30mm



1642 AC  
W48mm H41mm P30mm



1652 CP  
W48mm H41mm P30mm



1636 PB  
W45mm H37mm P26mm



1646 AC  
W45mm H37mm P26mm



1827 MB  
W45mm H38mm P30mm



1635 PB  
W44mm H40mm P28mm



1645 AC  
W44mm H40mm P28mm



1633 PB  
W40mm H40mm P28mm



1643 AC  
W40mm H40mm P28mm



1829 MB  
Malleable iron  
W58mm H32mm P38mm



1807 MB  
W49mm H40mm P29mm



1638 PB  
W24mm H52mm P18mm



2290 AB  
W24mm H52mm P18mm



1639 PB  
W35mm H55mm P16mm



1630 PB  
W49mm H32mm P36mm



1634 PB  
W35mm H32mm P25mm



1644 AC  
W35mm H32mm P25mm

## SASH LIFTS - STAINLESS STEEL Phillips head screws supplied



1660 PVD  
W45mm H28mm P22mm



2308 AB  
W45mm H28mm P22mm



1661 AC  
W45mm H28mm P22mm



1662 PSS  
W45mm H28mm P22mm



1663 SC  
W45mm H28mm P22mm



8707 SS  
W45mm H28mm P22mm



1664 PVD  
W65mm H28mm P21mm



2299 AB  
W65mm H28mm P21mm



1665 AC  
W65mm H28mm P21mm



1666 PSS  
W65mm H28mm P21mm



1667 SC  
W65mm H28mm P21mm



8706 SS  
W65mm H28mm P21mm

# Sash & Fanlight Fittings

## SASH PULLEYS – BALL BEARING



1680 PB  
25 x 125mm



2306 AB  
25 x 125mm



1681 AC  
25 x 125mm



1682 CP  
25 x 125mm



1683 SC  
25 x 125mm

## SASH DROPS



1626 PB



2305 AB



1627 AC



1628 CP



1625 SC

## FANLIGHT WINDOW ACCESSORIES

Fanlight window operator suits inward and outward opening windows hinged at top, middle or bottom.



1784 PB  
Unlacquered Brass  
900-1115mm



1785 AC  
900-1115mm



1787 CP  
900-1115mm



1786 SC  
900-1115mm

## FANLIGHT CATCH



1781 PB  
59 x 50mm

## FANLIGHT SWIVEL



1780 PB  
23 x 73mm

## POLE HOOK



1782 PB  
25mm Internal Diameter

## FANLIGHT STOP



1783 PB  
L190mm

## Barrel Bolts

Bolt Diameter 9mm, Throw 17mm

1400 PB  
75 x 32mm  
40 x 32mm



1401 PB  
100 x 32mm  
40 x 32mm



1402 PB  
150 x 32mm  
40 x 32mm



1403 PB  
200 x 32mm  
40 x 32mm



1410 AC  
75 x 32mm  
40 x 32mm



1411 AC  
100 x 32mm  
40 x 32mm



1412 AC  
150 x 32mm  
40 x 32mm



1413 AC  
200 x 32mm  
40 x 32mm



2963 SC  
200 x 32mm  
40 x 32mm



2962 SC  
150 x 32mm  
40 x 32mm



2961 SC  
100 x 32mm  
40 x 32mm



2960 SC  
75 x 32mm  
40 x 32mm



2333 AB  
200 x 32mm  
40 x 32mm



2332 AB  
150 x 32mm  
40 x 32mm



2331 AB  
100 x 32mm  
40 x 32mm



2330 AB  
75 x 32mm  
40 x 32mm



2953 CP  
200 x 32mm  
40 x 32mm



2952 CP  
150 x 32mm  
40 x 32mm



2951 CP  
100 x 32mm  
40 x 32mm



2950 CP  
75 x 32mm  
40 x 32mm

## LONG THROW - 30MM



1404 PB  
150 x 32mm

2334 AB  
150 x 32mm

1414 AC  
150 x 32mm

2954 CP  
150 x 32mm

2964 SC  
150 x 32mm

2965 SC  
32 x 15mm

2966 SC



1405 PB  
32 x 15mm

1421 PB

2335 AB  
32 x 15mm

2336 AB

1415 AC  
32 x 15mm


1386 AC

2955 CP  
32 x 15mm

2956 CP

## RECESSED DOOR/WINDOW BOLT - ZINC ALLOY

Bolt Diameter 12.5mm, Throw 15mm, Depth 65mm, Face 42 x 20mm.



2075 EB



2246 AB



2085 AC



2095 CP



2096 SC



Barrel Bolts

Bolt Diameter 7.5mm, Throw 17mm



1406 PB  
75 x 25mm/15x 25mm



1407 PB  
100 x 25mm/15x 25mm



1408 PB  
150 x 25mm/15x 25mm



1409 PB  
200 x 25mm/15x 25mm



1419 PB  
13 x 25mm



1418 PB



2320 AB  
75 x 25mm/15x 25mm



2321 AB  
100 x 25mm/15x 25mm



2322 AB  
150 x 25mm/15x 25mm



2323 AB  
200 x 25mm/15x 25mm



2328 AB  
13 x 25mm



2327 AB



1380 AC  
75 x 25mm/15x 25mm



1381 AC  
100 x 25mm/15x 25mm



1382 AC  
150 x 25mm/15x 25mm



1383 AC  
200 x 25mm/15x 25mm



1384 AC  
13 x 25mm



1385 AC

LONG THROW (30MM) AND OFFSET



1367 PB  
150 x 25mm  
13 x 25mm



1346 PB  
150 x 25mm  
13 x 25mm



1417 PB  
100 x 25mm  
13 x 25mm



1416 PB  
75 x 25mm  
13 x 25mm



2324 AB  
150 x 25mm  
13 x 25mm



2289 AB  
150 x 25mm  
13 x 25mm



2326 AB  
100 x 25mm  
13 x 25mm



2325 AB  
75 x 25mm  
13 x 25mm



1368 AC  
150 x 25mm  
13 x 25mm



1347 AC  
150 x 25mm  
13 x 25mm



1427 AC  
100 x 25mm  
13 x 25mm



1420 AC  
75 x 25mm  
13 x 25mm



Bolt Diameter 7.5mm, Throw 17mm



1431 CP  
75 x 25mm/15x 25mm



1432 CP  
100 x 25mm/15x 25mm



1433 CP  
150 x 25mm/15x 25mm



1434 CP  
200 x 25mm/15x 25mm



1423 SC  
75 x 25mm/15x 25mm



1424 SC  
100 x 25mm/15x 25mm



1425 SC  
150 x 25mm/15x 25mm



1426 SC  
200 x 25mm/15x 25mm



1936 MB  
75 x 25mm/15x 25mm



1937 MB  
100 x 25mm/15x 25mm



1938 MB  
150 x 25mm/15x 25mm



1939 MB  
200 x 25mm/15x 25mm



1438 CP  
13 x 25mm



1378 CP



1447 SC  
13 x 25mm



1379 SC



1948 MB  
13 x 25mm



1947 MB

## LONG THROW (30MM) AND OFFSET



1369 CP  
150 x 25mm  
13 x 25mm



1348 CP  
150 x 25mm  
13 x 25mm



1437 CP  
100 x 25mm  
13 x 25mm



1436 CP  
75 x 25mm  
13 x 25mm



1370 SC  
150 x 25mm  
13 x 25mm



1349 SC  
150 x 25mm  
13 x 25mm



1429 SC  
100 x 25mm  
13 x 25mm



1428 SC  
75 x 25mm  
13 x 25mm



1943 MB  
150 x 25mm  
13 x 25mm



1946 MB  
150 x 25mm  
13 x 25mm



1945 MB  
100 x 25mm  
13 x 25mm



1944 MB  
75 x 25mm  
13 x 25mm

Bolts

LOCKING FLUSH BOLTS – SOLID BRASS 200 x 28mm

Bolt: W 22mm, Thickness 5mm, Throw 27mm



1330 PB  
200 x 28mm



2247 AB  
200 x 28mm



1331 AC  
200 x 28mm



1334 MB  
200 x 28mm



1332 CP  
200 x 28mm



1333 SC  
200 x 28mm



8760 SSL  
200 x 28mm

LOCKING SURFACE MOUNTED BOLTS – ZINC ALLOY 150 x 32mm

Projection 35mm. Bolt: Diameter 10mm, Throw 24mm



1335 PVD  
150 x 32mm



2248 AB  
150 x 32mm



1336 AC  
150 x 32mm



1339 MB  
150 x 32mm



1337 CP  
150 x 32mm



1338 SC  
150 x 32mm



8762 SSL  
150 x 32mm

REVERSE BARREL BOLTS – SOLID BRASS 150 x 32mm

Bolt: Diameter 9mm, Throw 30mm



1442 PB  
150 x 32mm



2353 AB  
150 x 32mm



1366 AC  
150 x 32mm



1443 CP  
150 x 32mm




1444 SC  
150 x 32mm



1445 PB  
118 x 32mm



1446 PB  
155 x 40mm



1340 PB

2329 AB

1341 AC

1344 MB

1342 CP

1343 SC



1903 MP  
200 x 55mm

1900 MB  
200 x 55mm

1430 AF  
215 x 48mm



2028 PB

2029 AB

2030 AC

2035 MB

2031 CP

2033 SC



1904 MP  
300 x 55mm

1901 MB  
300 x 55mm

1435 MB  
215 x 48mm

## FLUSH BOLTS – SOLID BRASS 150 x 19mm

Bolt: Diameter 11mm, Throw 18mm



1422 PB  
150 x 19mm

2354 AB  
150 x 19mm

1440 AC  
150 x 19mm

1441 CP  
150 x 19mm

1439 SC  
150 x 19mm




1872 MP  
175 x 40mm

1873 MB  
175 x 40mm

1840 MB  
180 x 48mm


Pull Handles

								
1453 PB 187mm P45mm	1452 PB 150mm P43mm	1451 PB 125mm P35mm	1450 PB 110mm P30mm	2343 AB 187mm P45mm	2342 AB 150mm P43mm	2341 AB 125mm P35mm	2340 AB 110mm P30mm	
								
1473 AC 187mm P45mm	1472 AC 150mm P43mm	1471 AC 125mm P35mm	1470 AC 110mm P30mm	1967 MB 187mm P45mm	1966 MB 150mm P43mm	1965 MB 125mm P35mm	1964 MB 110mm P30mm	
								
2943 CP 187mm P45mm	2942 CP 150mm P43mm	2941 CP 125mm P35mm	2940 CP 110mm P30mm	2948 SC 187mm P45mm	2947 SC 150mm P43mm	2946 SC 125mm P35mm	2945 SC 110mm P30mm	
								
1458 PB 230mm P35mm	1457 PB 165mm P26mm	1456 PB 130mm P23mm	1455 PB 100mm P23mm	1460 PB 180mm P41mm	2346 AB 180mm P41mm	1480 AC 180mm P41mm	1490 CP 180mm P41mm	1491 SC 180mm P41mm





## IRON PULL HANDLES



# Pull Handles

## CYLINDER HOLE PULL HANDLES

Suit most popular brand cylinder deadlatches. Hole Measurement 33mm outer/29mm inner.

							
1467 PB 255 x 70mm P57mm	2287 AB 255 x 70mm P57mm	1477 AC 255 x 70mm P57mm	2938 CP 255 x 70mm P57mm	2939 SC 255 x 70mm P57mm	2903 PB 203 x 50mm P35mm	2904 AC 203 x 50mm P35mm	2905 CP 203 x 50mm P35mm
							
1469 PB 250 x 50mm P50mm	2367 AB 250 x 50mm P50mm	1479 AC 250 x 50mm P50mm	2932 CP 250 x 50mm P50mm	2933 SC 250 x 50mm P50mm	1297 PB 240 x 60mm P60mm Door knocker/pull	1298 AC 240 x 60mm P60mm Door knocker/pull	1299 CP 240 x 60mm P60mm Door knocker/pull
							
1484 PB 185 x 50mm P28mm	2286 AB 185 x 50mm P28mm	1489 AC 185 x 50mm P28mm	2936 CP 185 x 50mm P28mm	2937 SC 185 x 50mm P28mm	1483 PB 225 x 75mm P35mm	1488 AC 225 x 75mm P35mm	



## AMSTERDAM – BLACK TIMBER





Pull Handles

BRASS



2926 PB  
420mm P92mm



2284 AB  
420mm P92mm



2927 AC  
420mm P92mm



2928 PB  
450mm P62mm



2285 AB  
450mm P62mm



2929 AC  
450mm P62mm

IRON



1922 MB  
420mm P92mm



1932 MP  
420mm P92mm



1867 MB  
265mm P60mm



1924 MB  
450mm P62mm



1934 MP  
450mm P62mm



1935 MP  
510mm P55mm



1920 MB  
Right hand  
500mm P75mm



1921 MB  
Left hand  
500mm P75mm



1926 MB  
Right hand  
500mm P90mm



1923 MB  
Left hand  
500mm P90mm



1925 MB  
510mm P55mm



COOLUM – GRADE 304 SS

Pull Handles - Stainless Steel

Back to back.

Projection 70mm

8600 SS	L300mm
8602 SS	L450mm
8604 SS	L600mm



Round and Square backplates supplied  
Bar 13 x 25mm

Single.

Projection 70mm

8601 SS	L300mm
8603 SS	L450mm
8605 SS	L600mm



SCARBOROUGH – GRADE 304 SS

Back to back.

Projection 70mm. Diameter 32mm

8630 SS	L600mm
8632 SS	L900mm



Single.

Projection 70mm. Diameter 32mm

8631 SS	L600mm
8633 SS	L900mm

BYRON – AVAILABLE IN MARINE GRADE 316 & 304 SS – 600MM ONLY



Back to back.



Single.



8609 RH EXT 304  
8613 RH EXT Grade 316  
L600mm CTC220mm  
D38mm P88mm

8610 LH EXT 304  
8614 LH EXT Grade 316  
L600mm CTC220mm  
D38mm P88mm

8611 RH EXT 304  
8615 RH EXT Grade 316  
L600mm CTC220mm  
D38mm P88mm

8612 LH EXT 304  
8616 LH EXT Grade 316  
L600mm CTC220mm  
D38mm P88mm

Suitable for timber, glass & aluminium doors.

Flush Pulls

					
1575 PB 150 x 43mm De10mm	2349 AB 150 x 43mm De10mm	1576 AC 150 x 43mm De10mm	1805 MB 150 x 43mm De10mm	1574 CP 150 x 43mm De10mm	1577 SC 150 x 43mm De10mm
					
1569 PB 140 x 32mm De8mm	2348 AB 140 x 32mm De8mm	1579 AC 1585 MB 140 x 32mm De8mm	1589 CP 140 x 32mm De8mm	1587 SC 140 x 32mm De8mm	8515 SS 150 x 55mm De10mm Sold as pair
					
1568 PB 88 x 28mm De4mm	2347 AB 88 x 28mm De4mm	1578 AC 1584 MB 88 x 28mm De4mm	1588 CP 88 x 28mm De4mm	1586 SC 88 x 28mm De4mm	8514 SS 150 x 55mm De10mm Sold as pair
					
1571 PB 90 x 55mm De6mm	1563 AC 90 x 55mm De6mm	1564 CP 90 x 55mm De6mm	1573 PB 50 x 63mm De13mm	1581 AC 50 x 63mm De13mm	
					
1570 PB 70 x 40mm De6mm	1560 AC 70 x 40mm De6mm	1561 CP 70 x 40mm De6mm	1580 PB 63 x 63mm De6mm	1582 CP 50 x 63mm De13mm	

SOLID BRASS SCREWS - Sold in packets of 50.

				
SCPB19 L19mm 5 Gauge SCPB25 L25mm 6 Gauge	SCAB19 L19mm 5 Gauge SCAB25 L25mm 6 Gauge	SCAC19 L19mm 5 Gauge SCAC25 L25mm 6 Gauge	SCCP19 L19mm 5 Gauge SCCP25 L25mm 6 Gauge	SCSC19 L19mm 5 Gauge SCSC25 L25mm 6 Gauge

Door Stops



1536 PB  
P93mm D44mm

2292 AB  
P93mm D44mm

1509 AC  
P93mm D44mm

1826 MB  
P93mm D44mm

1537 CP  
P93mm D44mm

1538 SC  
P93mm D44mm



1514 PB  
P80mm D43mm

2351 AB  
P80mm D43mm

1524 AC  
P80mm D43mm

1821 MB  
P80mm D43mm

1525 CP  
P80mm D43mm

1527 SC  
P80mm D43mm



1515 PB  
P75mm 35 x 35mm

2279 AB  
P75mm 35 x 35mm

1597 AC  
P75mm 35 x 35mm

1598 CP  
P75mm 35 x 35mm

1599 SC  
P75mm 35 x 35mm



1511 PB  
P70mm D39mm

2352 AB  
P70mm D39mm

1521 AC  
P70mm D39mm

1526 CP  
P70mm D39mm

1520 SC  
P70mm D39mm



1512 PB  
H29mm D40mm

2350 AB  
H29mm D40mm

1513 AC  
H29mm D40mm

1822 MB  
H29mm D40mm

1522 CP  
H29mm D40mm

1523 SC  
H29mm D40mm



1353 PB  
H50mm D30mm

2281 AB  
H50mm D30mm

1354 AC  
H50mm D30mm

1871 MB  
H50mm D30mm

1363 CP  
H50mm D30mm

1364 SC  
H50mm D30mm



1510 PB  
125 x 25mm

8752 SS  
Floor only  
H40mm D23mm

8753 SSL  
Floor  
H30mm L37mm W53mm

8754 SSL  
Floor/wall  
H75mm D50mm



Cabin Hooks



1516 PB  
100mm Centre 120mm Overall

1518 PB  
150mm Centre 175mm Overall



2355 AB  
100mm Centre 120mm Overall

2356 AB  
150mm Centre 175mm Overall



1517 AC  
100mm Centre 120mm Overall

1519 AC  
150mm Centre 175mm Overall



1503 CP  
100mm Centre 120mm Overall

1504 CP  
150mm Centre 175mm Overall



1528 SC  
100mm Centre 120mm Overall

1529 SC  
150mm Centre 175mm Overall



1500 PB  
100mm Centre 130mm Overall

1505 PB  
130mm Centre 160mm Overall



1501 AF  
100mm Centre 130mm Overall

1506 AF  
130mm Centre 160mm Overall



1502 PM  
100mm Centre 130mm Overall

1507 PM  
130mm Centre 160mm Overall



1870 MB  
100mm Centre 140mm Overall

Signs

BRASS - 135mm x 40mm



1590 PB



1591 PB



1592 PB



1593 PB



1594 PB



1595 PB

ENAMEL - 150mm x 40mm



4539



4540



4541



4542



4543



4544



4545



4546



4547



4548





4549

FIXED PIN - 100mm x 75mm

Solid Brass Hinges


					
2473 PB	2373 AB	2573 AC	2973 MB	2673 CP	2773 SC

FIXED PIN

	H89mm W50mm 2470 PB 2370 AB 2570 AC 2970 MB 2670 CP 2770 SC	H100mm W60mm 2472 PB 2372 AB 2572 AC 2972 MB 2672 CP 2772 SC	H100mm W100mm 2474 PB 2374 AB 2574 AC 2974 MB 2674 CP 2774 SC		H85mm W60mm 2475 PB 2375 AB 2575 AC 2975 MB 2675 CP 2775 SC	H100mm W75mm 2478 PB 2378 AB 2578 AC 2978 MB 2678 CP 2778 SC	H100mm W100mm 2479 PB 2379 AB 2579 AC 2979 MB 2679 CP 2779 SC
--	--	---	--	--	--	---	--



LOOSE PIN

BROAD BUTT

	H100mm W125mm 2490 PB 2390 AB 2590 AC 2990 MB 2690 CP 2790 SC	H100mm W150mm 2491 PB 2391 AB 2591 AC 2991 MB 2691 CP 2791 SC	H100mm W175mm 2492 PB 2392 AB 2592 AC 2992 MB 2692 CP 2792 SC	H100mm W200mm 2493 PB 2393 AB 2593 AC 2993 MB 2693 CP 2793 SC		H100mm W75mm 2463 PB 2363 AB 2563 AC 2968 MB 2663 CP 2763 SC	H100mm W100mm 2464 PB 2364 AB 2564 AC 2969 MB 2664 CP 2764 SC
---	--	--	--	--	---	---	--




BALL BEARING

PARLIAMENT

	H100mm W100mm 2480 PB 2380 AB 2580 AC 2980 MB 2680 CP 2780 SC	H100mm W125mm 2481 PB 2381 AB 2581 AC 2981 MB 2681 CP 2781 SC	H100mm W150mm 2482 PB 2382 AB 2582 AC 2982 MB 2682 CP 2782 SC	H100mm W175mm 2483 PB 2383 AB 2583 AC 2983 MB 2683 CP 2783 SC	H100mm W200mm 2484 PB 2384 AB 2584 AC 2984 MB 2684 CP 2784 SC		H89mm W35mm 2498 PB 2398 AB 2598 AC 2998 MB 2698 CP 2798 SC	H100mm W49mm 2497 PB 2397 AB 2597 AC 2997 MB 2697 CP 2797 SC
--	--	--	--	--	--	---	--	---

HIRLINE

STAINLESS STEEL HINGES - GRADE 304

85 x 60mm	100 x 75mm	100 x 100mm	LIFT OFF HINGES - 100mm x 75mm
			
2872 Fixed Pin SS 2875 Loose Pin SS	2873 Fixed Pin SS 2878 Loose Pin SS	2874 Fixed Pin SS 2879 Loose Pin SS	Left Hand 2496 PB 2396 AB 2596 AC 2696 CP 2796 SC 2896 SS
			
			Right Hand 2495 PB 2395 AB 2595 AC 2695 CP 2795 SC 2895 SS

Please refer to website for full range of images.

Door Knockers & Centre Door Knobs



1252 PB  
210 x 80mm



2360 AB  
210 x 80mm



1253 AC  
210 x 80mm



1262 AF Iron  
210 x 80mm



1282 PM Iron  
210 x 80mm



1303 PB  
Base 80mm P73mm



2365 AB  
Base 80mm P73mm



1304 AC  
Base 80mm P73mm



1313 AF Iron  
Base 80mm P73mm



1323 PM Iron  
Base 80mm P73mm



1256 PB  
185 x 45mm



2361 AB  
185 x 45mm



1257 AC  
185 x 45mm



1258 CP  
185 x 45mm



1259 SC  
185 x 45mm



1306 PB  
Base 85mm P86mm



2366 AB  
Base 85mm P86mm



1305 AC  
Base 85mm P86mm



1308 CP  
Base 85mm P86mm



1309 SC  
Base 85mm P86mm



1297 PB  
240 x 60mm  
Door knocker/pull



1298 AC  
240 x 60mm  
Door knocker/pull



1299 CP  
240 x 60mm  
Door knocker/pull



1263 MB Iron  
240 x 40mm



1264 MP Iron  
240 x 40mm



## BRASS



1250 PB  
230 x 80mm



1300 PB  
Base 80mm P66mm



1255 PB  
175 x 75mm



1307 PB  
Base 66mm P65mm

## IRON



1260 AF  
230 x 80mm



1310 AF  
Base 80mm P66mm



1265 AF  
175 x 75mm



1317 AF  
Base 66mm P65mm



1270 MB  
230 x 80mm



1320 MB  
Base 80mm P66mm



1285 PM  
175 x 75mm



1327 PM  
Base 66mm P65mm



1810 MB  
95 x 160mm



1815 MB  
Base 63mm P60mm



1283 MB  
135 x 175mm



1284 MP  
135 x 175mm



1312 AF  
Base 100mm P70mm



1322 PM  
Base 100mm P70mm

## LETTER PLATES – SOLID BRASS



1351 PB  
300 x 100mm



2368 AB  
300 x 100mm



1358 AC  
300 x 100mm



1949 MB  
300 x 100mm



1359 CP  
300 x 100mm



1360 SC  
300 x 100mm

Push Plates & Numerals

MILTON



1008 PB  
300 x 75mm



2357 AB  
300 x 75mm



1018 AC  
300 x 75mm



1275 CP  
300 x 75mm



1276 SC  
300 x 75mm

VICTORIAN



1271 PB  
300 x 75mm  
1286 PB  
240 x 60mm



2358 AB  
300 x 75mm  
2359 AB  
240 x 60mm



1272 AC  
300 x 75mm  
1287 AC  
240 x 60mm



1273 CP  
300 x 75mm  
1288 CP  
240 x 60mm



1274 SC  
300 x 75mm  
1289 SC  
240 x 60mm

NUMERALS – 304 GRADE STAINLESS STEEL



4570 SS  
100mm



4571 SS  
100mm



4572 SS  
100mm



4573 SS  
100mm



4574 SS  
100mm



4575 SS  
100mm



4576 SS  
100mm



4577 SS  
100mm



4578 SS  
100mm



4579 SS  
100mm



4560 SS  
85mm



4561 SS  
85mm



4562 SS  
85mm



4563 SS  
85mm



4564 SS  
85mm



4565 SS  
85mm



4566 SS  
85mm



4567 SS  
85mm



4568 SS  
85mm



4569 SS  
85mm



4550 SS  
50mm



4551 SS  
50mm



4552 SS  
50mm



4553 SS  
50mm



4554 SS  
50mm



4555 SS  
50mm



4556 SS  
50mm



4557 SS  
50mm



4558 SS  
50mm



4559 SS  
50mm


CURTAIN FITTINGS - Suit 19 and 25mm rod.



CORD WEIGHTS

CURTAIN RINGS - Solid brass


SHOWER CURTAIN HOOKS



NUMERALS - BRASS



NUMERALS - IRON





Brackets



1530 PB  
310 x 260mm



1531 MB Iron  
310 x 260mm



1532 AF Iron  
310 x 260mm



1533 PB  
250 x 205mm



1534 MB Iron  
250 x 205mm



1535 AF Iron  
250 x 205mm



1542 PB  
200 x 200mm



1541 PB  
150 x 150mm



1540 PB  
130 x 130mm



1543 PB  
100 x 80mm



1942 MB Iron  
200 x 200mm



1941 MB Iron  
150 x 150mm



1940 MB Iron  
130 x 130mm



1544 MB Iron  
100 x 80mm



1545 PB  
P75mm



1596 SC  
P75mm



1539 MB Iron  
250 x 125mm



1860 MB



1916 MB



1868 MB



1869 MB



1918 MP  
300 x 100mm



1917 MB  
300 x 100mm



1852 MB  
235 x 120mm



1850 MB  
Decorative  
400 x 100mm



1855 MB  
Door stud  
19 x 19mm



1838 MB  
60 x 75mm



1908 MB  
400mm



1907 MB  
300mm



1906 MB  
200mm



1912 MP  
400mm



1911 MP  
300mm



1910 MP  
200mm

# Bathroom Fittings

## LUGGAGE RACK 'NSWR'



4840 PB  
L725mm H240mm P300mm



4845 CP  
L725mm H240mm P300mm

## DOUBLE TOWEL RAILS – COMPLETE



4850 PBE Rail 600mm Overall 670mm  
4851 PBE Rail 900mm Overall 970mm  
Rail D16mm P130mm BPD52mm



4860 CP Rail 600mm Overall 670mm  
4861 CP Rail 900mm Overall 970mm  
Rail D16mm P130mm BPD52mm

## SINGLE TOWEL RAILS – COMPLETE



4872 PBE Rail 600mm Overall 650mm  
4873 PBE Rail 900mm Overall 950mm  
Rail D19mm P83mm BPD53mm



4877 CP Rail 600mm Overall 650mm  
4878 CP Rail 900mm Overall 950mm  
Rail D19mm P83mm BPD53mm

## PILLAR ENDS PAIR – Suit 19mm Rail



4870 PBE  
BPD53mm P83mm



4875 CP  
BPD53mm P83mm



4856 PBE  
BPD52mm P120mm W100mm



4866 CP  
BPD52mm P120mm W100mm

## TOOTHBRUSH HOLDERS

## HAND TOWEL HOLDERS



4853 PBE  
BPD52mm W280mm H105mm



4863 CP  
BPD52mm W280mm H105mm



4852 PBE  
BPD52mm W165mm H185mm



4862 CP  
BPD52mm W165mm H185mm

## TOILET ROLL HOLDERS



4854 PBE  
BPD52mm W165mm H110mm



4882 PB  
W120mm H150mm



4883 PB  
W120mm H150mm



4884 PB  
W120mm H190mm



4880 PB  
W140mm H195mm



4864 CP  
BPD52mm W165mm H110mm



4867 CP  
W120mm H150mm



4868 CP  
W120mm H150mm



4869 CP  
W120mm H190mm



4890 PM  
W140mm H195mm



## MANHATTAN – SOLID BRASS



9001 CP Rail 600mm Overall W645mm P140mm  
9021 SSL Rail 600mm Overall W645mm P140mm



9002 CP 9022 SSL Rail 580mm Overall 640mm  
9003 CP 9023 SSL Rail 425mm Overall 495mm

### Glass shelf



9000 CP W610mm P95mm  
9020 SSL W610mm P95mm

### Toothbrush holder



9005 CP W125mm P103mm  
9025 SSL W125mm P103mm

### Soap dish



9006 CP W125mm P103mm  
9026 SSL W125mm P103mm

### Toilet roll holders



9008 CP W185mm P82mm  
9028 SSL W185mm P82mm



9007 CP W138mm P82mm  
9027 SSL W138mm P82mm

### Towel holder



9004 CP W153mm P82mm  
9024 SSL W153mm P82mm


### Robe hook



9009 CP W90mm P52mm  
9029 SSL W90mm P52mm

## BARCELONA – SOLID BRASS RAIL. ZINC DIE CAST ENDS.

### Towel rails – Rail D11mm



9040 CP Rail 580mm Overall W633mm P155mm  
9060 SSL Rail 580mm Overall W633mm P155mm



9041 CP 9061 SSL Rail 580mm Overall W635mm P95mm  
9042 CP 9062 SSL Rail 425mm Overall W485mm P95mm

### Towel holder



9043 CP W170mm P60mm  
9063 SSL W170mm P60mm

### Toothbrush holder



9044 CP W100mm P107mm  
9064 SSL W100mm P107mm

### Soap dish (perspex)



9045 CP W120mm P130mm  
9065 SSL W120mm P130mm

### Toilet roll holder



9046 CP W167mm P95mm  
9066 SSL W167mm P95mm

### Robe hook



9047 CP W30mm P65mm  
9067 SSL W30mm P65mm

## HOOKS



9100 CP 340 x 30mm P40mm  
9110 SSL 340 x 30mm P40mm



9105 CP 340 x 30mm P50mm  
9115 SSL 340 x 30mm P50mm



9101 CP 190 x 30mm P40mm  
9111 SSL 190 x 30mm P40mm



9106 CP 190 x 30mm P50mm  
9116 SSL 190 x 30mm P50mm

SHIPS BELLS



TURN BELLS



BELL PRESSES

Hard wiring required.



**CEILING PULL SWITCHES** - Supplied with 1.7m cord.



**SWITCH BLOCKS - TRADITIONAL PROFILE**

Polished blocks are 'Cedar' stain applied to MDF veneer



Raw Blocks are Hoop Pine



**SWITCH BLOCKS - CLASSIC PROFILE**

Polished blocks are 'Cedar' stain applied to MDF veneer



Raw Blocks are Hoop Pine





# Traditional Switches & Sockets

## TRADITIONAL



5474 PB



5550 AB



5674 AC



5774 CP



5520 SC



5475 Dimmer PB  
5495 Fan Controller PB



5551 Dimmer AB  
5552 Fan Controller AB



5675 Dimmer AC  
5695 Fan Controller AC



5775 Dimmer CP  
5795 Fan Controller CP



5521 Dimmer SC  
5522 Fan Controller SC



5479 PB/Brown  
5480 PB/White



5554 AB/Brown  
5555 AB/White



5679 AC



5779 CP/Brown  
5780 CP/White



5524 SC/Brown  
5525 SC/White

## TELEVISION SOCKETS (COAXIAL)



5494 PB



5553 AB



5694 AC



5794 CP



5523 SC

## PORCELAIN BASE



5100 PB/IV



5150 PB/BL



5105 AB/IV



5155 AB/BL



5101 Dimmer PB/IV  
5102 Fan Controller PB/IV



5151 Dimmer PB/BL  
5152 Fan Controller PB/BL



5106 Dimmer AB/IV  
5107 Fan Controller AB/IV



5156 Dimmer AB/BL  
5157 Fan Controller AB/BL



## FEDERATION



5470 PB



5560 AB



5471 AC



5770 CP



5530 SC



5472 Dimmer PB  
5492 Fan Controller PB



5561 Dimmer AB  
5562 Fan Controller AB



5473 Dimmer AC  
5493 Fan Controller AC



5772 Dimmer CP  
5792 Fan Controller CP



5531 Dimmer SC  
5532 Fan Controller SC



5476 PB/Black  
5478 PB/White



5564 AB/Black  
5565 AB/White



5477 AC



5776 CP/Black  
5778 CP/White



5534 SC/Black  
5535 SC/White

## TELEVISION SOCKETS (COAXIAL)



5490 PB



5563 AB



5491 AC



5790 CP



5533 SC

## FLUTED



5481 PB



5570 AB



5482 AC



5781 CP



5540 SC



5483 Dimmer PB  
5487 Fan Controller PB



5571 Dimmer AB  
5572 Fan Controller AB



5484 Dimmer AC  
5488 Fan Controller AC



5783 Dimmer CP  
5787 Fan Controller CP



5541 Dimmer SC  
5542 Fan Controller SC

## TELEVISION SOCKETS (COAXIAL)



5485 PB



5573 AB



5486 AC



5785 CP



5543 SC

Switches are 10 AMP - 2 way, Dimmers and fan controllers are variable speed and require a switch to turn on & off. Dimmers are 400VA, suitable for most applications including low voltage downlights and incandescent lights. Not suitable for LED.

Switches & Power Points

POLISHED BRASS/WHITE, TOGGLE & ROCKER SWITCHES

 5950 30 x 82mm	 5951 30 x 82mm	 5956 30 x 108mm	 5952 72 x 115mm	 5953 72 x 115mm	 5954 72 x 115mm	 5955 72 x 115mm	
 5850 30 x 82mm	 5851 30 x 82mm	 5856 30 x 108mm	 5852 72 x 115mm	 5853 72 x 115mm	 5854 72 x 115mm	 5855 72 x 115mm	
 5858 115 x 72mm			 5859 115 x 72mm		 5857 115 x 72mm		 5402 Dimmer knob

POLISHED BRASS/BROWN, TOGGLE & ROCKER SWITCHES

 5900 30 x 82mm	 5901 30 x 82mm	 5906 30 x 108mm	 5902 72 x 115mm	 5903 72 x 115mm	 5904 72 x 115mm	 5905 72 x 115mm	
 5800 30 x 82mm	 5801 30 x 82mm	 5806 30 x 108mm	 5802 72 x 115mm	 5803 72 x 115mm	 5804 72 x 115mm	 5805 72 x 115mm	
 5808 115 x 72mm			 5809 115 x 72mm		 5807 115 x 72mm		 5402 Dimmer knob

ANTIQUE BRASS/BROWN, TOGGLE & ROCKER SWITCHES



5890  
30 x 82mm



5891  
30 x 82mm



5896  
30 x 108mm



5892  
72 x 115mm



5893  
72 x 115mm



5894  
72 x 115mm



5895  
72 x 115mm



5840  
30 x 82mm



5841  
30 x 82mm



5846  
30 x 108mm



5842  
72 x 115mm



5843  
72 x 115mm



5844  
72 x 115mm



5845  
72 x 115mm



5848  
115 x 72mm



5849  
115 x 72mm



5847  
115 x 72mm



5409  
Dimmer knob

ANTIQUE COPPER/BROWN, TOGGLE & ROCKER SWITCHES



5910  
30 x 82mm



5911  
30 x 82mm



5916  
30 x 108mm



5912  
72 x 115mm



5913  
72 x 115mm



5914  
72 x 115mm



5915  
72 x 115mm



5810  
30 x 82mm



5811  
30 x 82mm



5816  
30 x 108mm



5812  
72 x 115mm



5813  
72 x 115mm



5814  
72 x 115mm



5815  
72 x 115mm



5818  
115 x 72mm



5819  
115 x 72mm



5817  
115 x 72mm





















5404  
Dimmer knob

Switches are 10 AMP – 2 way. Refer to page 41 for available dimmers, fan controllers, phone, data and tv sockets.





















Switches & Power Points

CHROME PLATE/WHITE, TOGGLE & ROCKER SWITCHES

 5940 30 x 82mm	 5941 30 x 82mm	 5946 30 x 108mm	 5942 72 x 115mm	 5943 72 x 115mm	 5944 72 x 115mm	 5945 72 x 115mm	
 5880 30 x 82mm	 5881 30 x 82mm	 5886 30 x 108mm	 5882 72 x 115mm	 5883 72 x 115mm	 5884 72 x 115mm	 5885 72 x 115mm	
 5888 115 x 72mm			 5889 115 x 72mm		 5887 115 x 72mm		 5406 Dimmer knob

SATIN CHROME/WHITE, TOGGLE & ROCKER SWITCHES

 5970 30 x 82mm	 5971 30 x 82mm	 5976 30 x 108mm	 5972 72 x 115mm	 5973 72 x 115mm	 5974 72 x 115mm	 5975 72 x 115mm	
 5870 30 x 82mm	 5871 30 x 82mm	 5876 30 x 108mm	 5872 72 x 115mm	 5873 72 x 115mm	 5874 72 x 115mm	 5875 72 x 115mm	
 5878 115 x 72mm			 5879 115 x 72mm		 5877 115 x 72mm		 5408 Dimmer knob

STAINLESS STEEL COVER RANGE (GRADE 316SS) - Available with white rocker switches only.



5980  
30 x 82mm



5981  
30 x 82mm



5986  
30 x 108mm



5982  
72 x 115mm



5983  
72 x 115mm



5984  
72 x 115mm



5985  
72 x 115mm



5987  
115 x 72mm



5988  
115 x 72mm



5989  
115 x 72mm



5410  
Dimmer knob

SCREW ON COVER POWER POINTS



5459 PB/Brown  
140 x 90mm



5469 PB/White  
140 x 90mm



5659 AC/Brown  
140 x 90mm



5769 CP/White  
140 x 90mm



5489 PB/Brown  
140 x 90mm



5499 PB/White  
140 x 90mm



5689 AC/Brown  
140 x 90mm



5799 CP/White  
140 x 90mm

ACCESSORIES – FOR PAGES 38-41 ONLY

Accessories clip into flat plate switches – please note that they will not clip into any power points as the mechanisms are one moulded piece.

Dimmers and fan controllers are variable speed and require a switch to turn on and off. Dimmers are suitable for most applications including low voltage downlights and incandescent lights – not suitable for LED.



5447 Telephone/White



5446 Telephone/Black



5021 Data/White



5020 Data/Brown



5022 Digital TV/Brown



5023 Digital TV/White



5024 Pay TV/Brown



5025 Pay TV/White



5456 Dimmer



5457 Fan Controller

SWITCH MECHANISMS



5448 TV/Brown



5449 TV/White



5011 15A



5013 20A



5015 35A



5012 15A



5014 20A



5016 35A



5017  
Intermediate (3 way)



5018  
Intermediate (3 way)

# Contemporary Switches

STAINLESS STEEL COVER – WHITE OR GREY MECHANISM 128 x 93mm



8861 SS/WH  
8871 SS/GR




8862 SS/WH  
8872 SS/GR



8863 SS/WH  
8873 SS/GR



8864 SS/WH  
8874 SS/GR



8865 SS/WH 5 Gang  
8875 SS/GR 5 Gang



8866 SS/WH 6 Gang  
8876 SS/GR 6 Gang

BLACK COVER – WHITE OR GREY MECHANISM 128 x 93mm



8821 BL/WH  
8831 BL/GR



8822 BL/WH  
8832 BL/GR



8823 BL/WH  
8833 BL/GR



8824 BL/WH  
8834 BL/GR



8825 BL/WH 5 Gang  
8835 BL/GR 5 Gang



8826 BL/WH 6 Gang  
8836 BL/GR 6 Gang



WHITE COVER - WHITE OR GREY MECHANISM 128 x 93mm



8801 WH/WH  
8811 WH/GR



8802 WH/WH  
8812 WH/GR



8803 WH/WH  
8813 WH/GR



8804 WH/WH  
8814 WH/GR



8805 WH/WH 5 Gang  
8815 WH/GR 5 Gang



8806 WH/WH 6 Gang  
8816 WH/GR 6 Gang

8800 WH/WH  
8810 WH/GR

ACCESSORIES



5447 Telephone



5021 Data



5449 TV



5023 Digital TV



5025 Pay TV

PUSH BUTTON DIMMERS (450VA)

Separate switch not required.



8880



8881



8882



8883

INTERMEDIATE SWITCH (3 WAY)

# Index

## Architectural Fittings

	PAGE
Bathroom Fittings	32 - 33
Bells - Turn, Ship & Press	34
Bolts	10 - 15
Bolts - Flush and Reverse	14 - 15
Bolts - Key Operated	14
Bolts - Panic / Tower	15
Cabin Hooks	24
Centre Door Knobs	26 & 27
Curtain Fittings	29
Door Knockers	26 & 27
Door Stops	23
Flush Pulls	22
Gate Accessories	31
Hand Rail Brackets	30
Hinges	25
Letter Plates	27
Luggage Racks	32
Numerals	28 - 29
Pull Handles	16 - 21
Push Plates	28
Screws	22
Shelf Brackets	30
Ships Bells	34
Signs	24
Window Fittings	3 - 10
Window Fittings - Casement	3 - 7
Window Fittings - Fanlight	10
Window Fittings - Hopper	5 & 7
Window Fittings - Key Operated	3
Window Fittings - Sash	8 - 10

## Switches & Sockets

Ceiling Pull Switches	35
Contemporary Switches	42 - 43
Switches and Power Points	38 - 41
Traditional Switches and Sockets	36 - 37
Wood Blocks	35

## FINISHES

PB	Polished Brass
PBE	Polished Brass Electrophoretic
PVD	Anti Tarnish Brass
AB	Antique Brass
AC	Antique Copper
CP	Chrome Plate
SC	Satin Chrome
IV	Ivory
BL	Black
EB	Electro Brass
SSL	Stainless Steel Look (Satin Nickel Plate)
AF	Antique Finish
MB	Matt Black
MP	Metallic Powdercoat
PM	Polished Metal on Iron
SS	Stainless Steel (Brushed)
PSS	Polished Stainless Steel

## NOTE

D	Diameter
De	Depth
Ext	External
H	Height
L	Length
P	Projection
W	Width
BP	Back Plate
CTC	Centre to Centre
Dr	Drop

Measurements quoted may vary and pre-drilling is not recommended.

AB & AC finishes are hand finished and will vary slightly in colour and highlighting.

**Restore In Style**  
**07 46301232**  
**+61 7 46301232**  
**info@restoreinstyle.com**